

Part No: C5EHR-E00
Description: The TruLAN Cat 5E cable has been tested by the HDBaseT Alliance making it the ideal choice for high speed data networks across a home or building.



TESTED TO
350MHz



Construction

Conductor	Bare Copper
AWG	24(1)
Insulation Material	High Density Polyethylene (HDPE)
Number of Pairs	4
Pair Identification	TIA 568
Overall Screen	Aluminium/Polyester
Drain Wire	24(1)AWG, Tinned Copper
Sheath Material	Low Smoke Halogen Free, Grey

Electrical Characteristics

Max. Conductor Resistance @ 20°C	≤ 9.5 Ω/100m
Max. Resistance Unbalanced	≤ 2.5 %
Nominal Impedance (1-100MHz)	100 ± 15 Ω
Insulation Resistance	5000MΩ/km
Mutual Capacitance	≤ 5.6nF/100m
Capacitance Unbalanced to Earth	≤ 300 pF/ 100m
NVP	68 %
Max. Delay Skew	≤ 45 nS/ 100m
Voltage Rating EN 50525-1	450/750V*
Test Voltage	2.5kV (AC)

Physical Characteristics

Overall Diameter	5.0 ± 0.3mm		
Bend Radius	Fixed 4 x OD,	Flexing 8 x OD	
Temperature Rating	Fixed -20°C to 70°C,	Flexing -10°C to 60°C	
Weight	40 kg/km		

Transmission Performance

Frequency	1	4	10	16	20	31.25	62.5	100	155	200	300	350	MHz
Attenuation	2.1	3.90	6.2	7.90	8.9	11.2	16.2	21.0	26.6	30.7	38.7	41.4	dB
Return Loss	19.0	19.0	19.0	19.0	19.0	17.1	14.1	12.0	10.1	9.0	7.2	6.6	dB
NEXT	60.0	54.8	48.5	45.2	43.7	40.5	35.7	32.3	29.2	27.3	24.4	23.2	dB
PS NEXT	57.0	51.8	45.5	42.2	40.7	37.5	32.7	29.3	27.0	25.2	22.3	21.2	dB
ACRF	58.6	46.6	38.6	34.5	32.6	28.7	22.7	18.6	17.5	15.3	11.8	10.5	dB
PSACRF	55.6	43.6	35.6	31.5	29.6	25.7	19.7	15.6	11.8	9.6	6.1	4.7	dB

Standards

Flame Retardant	EN 60332-1-2	Manufactured in accordance to	TIA/EIA 568-C.2, ISO/IEC 11801
Halogen Emissions	EN 60754-2		
Smoke Emissions	EN 61034-2		
RoHS2 Compliance	Yes		
CE Compliant	LVD (2014/35/EU), CPR (305/2011)		
CPR Classification	E _{ca} (EN50575:2014+A1:2016)		

*Suitable for installation where Band II 450/750v cables are present. Not suitable for connection to mains supply

Tru Cables Tel: 01727 840 841 info@trucables.com www.trucables.com

Information and images on this datasheet are intended for guidance only and products may vary due to manufacturing changes, technical improvements and commercial factors. We reserve the right to amend the product information without notice or liability.

ISO 9001:2015 Certificate Number: DAS94272226/0/Q

Part Number: C5EHR-E00
 Date: 21/05/2018
 Revision: 1.3
 Author: TB Checked:
 Page Number: 1 of 1