



### Easi-Lok standard cable marker kits.

#### Key features.

- Ideal for general panel building, mass transit, telecoms and utilities
- A range of kits are available offering versatility and, in most cases, everything you need for successful cable marking in one box

#### Specification.

Material:  
Self extinguishing PVC

Service temperature range:  
-45°C to +70°C

Chemical resistance:  
Resistant to petrol, industrial diesel, 10% sodium chloride, cutting oil, gear oil, aircraft fuel, abrasion, gamma and UV radiation

#### These kits contain:

0 1 2 3 4 5 6 7 8 9 L N R S T + -  $\perp$

Part number	Colour	Cable size (mm <sup>2</sup> )	Standard kit contents
ELK-S 02/3 B/W	Black on white	0.2 - 1.0	200 of each 0-9, L, N, R, S, T, +, -, earth, plus 1 applicator
ELK-S 1/3 B/W	Black on white	0.75 - 6.0	200 of each 0-9, L, N, R, S, T, +, -, earth, plus 1 applicator
ELK-S 2/4 B/W	Black on white	2.5 - 16.0	100 of each 0-9, L, N, R, S, T, +, -, earth, plus 1 applicator
ELK-S 3/6 B/W	Black on white	16.0 - 70.0	50 of each 0-9, L, N, R, S, T, +, -, earth, plus 1 applicator

#### These kits contain:

0 1 2 3 4 5 6 7 8 9 L N R S T + -  $\perp$

Part number	Colour	Cable size (mm <sup>2</sup> )	Standard kit contents
ELK-S 02/3 C/C	Colour coded	0.2 - 1.0	200 of each 0-9, L, N, R, S, T, +, -, earth, plus 1 applicator
ELK-S 1/3 C/C	Colour coded	0.75 - 6.0	200 of each 0-9, L, N, R, S, T, +, -, earth, plus 1 applicator
ELK-S 2/4 C/C	Colour coded	2.5 - 16.0	100 of each 0-9, L, N, R, S, T, +, -, earth, plus 1 applicator